# GENERAL INDEX


A

Abscission, floral, as affected by leaves and IAA 244; leaf, natural and chemically induced in cotton 9
Action spectra, for control of flowering in Pharbitis nil 237
Adams, Donald F., Effect of atmospheric fluoride on respiration of bush beans 223
Age, effect on natural and chemically induced foliar abscission in cotton 9
Ailanthus, toxic principle in leaves 32
Alfalfa, effect of light and soil moisture on companion crops 39
Amino acids, as required by biochemical mutants of Colletotrichum lagenarium 166; effect on pathogenicity of biochemical mutants, of Fusarium oxysporum f. pisi 69, of Colletotrichum lagenarium 166; ornithine cycle in pine root and callus 63
Amino triazole; *see* Growth-regulators
AMO-1618; *see* Quaternary ammonium compound *and* Growth-regulators
Ananas comosus; *see* Pineapple
Anatomy, development of stamen and carpel primordia in Anthoxanthum odoratum 192; microhairs of grass leaf epidermis 80; of Coleus stem following wounding 201; of dwarf shoots of slash pine 118; of natural and chemically induced foliar abscission in cotton 9; of normal and fasciated stems of jute 257; vascular, of carpel of Myristica fragrans 92, of node and petiole of Brucea amarissima 175
Aneuploidy in Collinsia heterophylla 125
Anthoxanthum odoratum, developmental anatomy of stamen and carpel primordia 192
Anthracnose of cucurbits; *see* Colletotrichum lagenarium
Antibiotics, antifungal substance in woody plant tissues 171
Apple, experimental modification of branch form 208
Applegate, Howard G., Effect of atmospheric fluoride on respiration of bush beans 223
Arachis hypogaea; *see* Peanut
Ashby, William C., Limitation to growth of basswood from mineral nutrient deficiencies 22; Seedling growth and water uptake by Tilia americana at several root temperatures 228; Sulfur deficiency in Tilia americana 28
Aspen; *see* Populus
Auxin and antagonists, effects on xylem regeneration in Coleus stems following wounding 201; *see also* Growth-regulators *and* Indoleacetic acid
Avena, as companion crop, light and soil moisture effects on establishment of alfalfa and red clover 39; growing uniform coleoptiles 106; responses to various percentages of continuous shade 55

B

Banana, ripening response to growth-regulator treatment 151
Barley, as companion crop, light and soil moisture effects on establishment of alfalfa and red clover 39
Barlow, H. W. B., The experimental modification of branch form in an apple rootstock 208
Barnes, Robert L., Studies on the ornithine cycle in roots and callus tissues of Pinus serotina and Pinus clausa 63
Basswood; *see* Tilia
Bean, bush, effect of atmospheric fluoride on respiration 223; pinto, transport of α-methoxyphenylacetic acid introduced directly into water stream 139; red kidney, effect of light, gibberellin, and a quaternary ammonium compound on growth of dark-grown plants 233
Benzoic acids, activity on pineapple plant 249
Bernhard, Richard A., Some studies of coumarin and coumarin analogues as germination inhibitors of radish seeds 17
Boron, required for growth of basswood 22
Borthwick, H. A., Failure of photoreversible control of flowering in Pharbitis nil 237; Photocontrol of plant development by the simultaneous excitations of two interconvertible pigments. III. Control of seed germination and axis elongation 1
Branch form, modification of in apple 208
Brix, Holger, Determination of viability of loblolly pine seedlings after wilting 220
Bromus, cytology and fertility of small plants of B. inermis 133

C

4-CPA; *see* Chlorophenoxy compounds
Calcium, deficiency limiting to basswood growth 22
Callus, on dwarf shoots of slash pine 118; pine root, ornithine cycle 63
Carbohydrates, free-sugar fluctuations and cold resistance in pine leaves 46
Carbon 14, in ornithine cycle in pine roots and callus 63; used to check transport of α-methoxyphenylacetic acid in water stream of bean 139
Carpel, development of primordia in Anthoxanthum odoratum 192
Cathey, H. M., Effect of light, gibberellin, and a quaternary ammonium compound on the growth of dark-grown red kidney beans 233
Cell area, height, number, and volume in root tip of Trillium grandiflorum 215
Chemical structure, relation to growth-regulator activity, of compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, of substituted phenyl and phenoxyalkylcarboxylic acids 143
Chlorosis, mineral deficiency symptom in basswood 22, 28
4-Chlorophenoxyacetic acid (4-CPA); *see* Chlorophenoxy compounds
Chlorophenoxy compounds, effect, of 4-CPA on grapes 155, of 2,4-D on ripening of bananas 151
Chromatography, paper, in diagnosis of leafroll virus of grapevines 198
Chromosomes, sex, in Populus tremuloides 60
Citrullus; *see* Watermelon
Clover, red, effect of light and soil moisture on companion crops 39
Clutter, Mary E., Extraction and biological properties of an antifungal fraction of woody plant tissues 171
Cold resistance and free-sugar fluctuations in pine leaves 46
Coleoptile, Avena, technique for uniform growth 106
Coleus, xylem regeneration in response to stem wounds 201
Colletotrichum lagenarium, pathogenicity of biochemical mutants 166; physiological races 163
Collinsia, aneuploidy in C. heterophylla 125
Companion crops, with alfalfa and red clover, light and soil moisture competition 39
Conifers, morphology of normal, callused, and rooted dwarf shoots of slash pine 118; ornithine cycle in pine root and callus 63; viability of loblolly pine seedlings after wilting 220
Corchorus; *see* Jute
Cotton, foliar abscission 9
Coumarin, and analogues, inhibition of radish seed germination 17; effect on xylem regeneration in Coleus stem following wounding 201

Cucumber; *see* Cucumis sativus
Cucumis, C. melo, disease reactions to races of Colletotrichum lagenarium 163, as host in determining pathogenicity of biochemical mutants of Colletotrichum lagenarium 166; C. sativus, disease reactions to races of Colletotrichum lagenarium 163, seed germination and root elongation affected by antifungal fraction of lilac phloem 171, tissue extracts used for growth of Colletotrichum lagenarium 166
Cucurbita, disease reactions of C. maxima and C. moschata to races of Colletotrichum lagenarium 163; tissue extracts of C. moschata used for growth of Colletotrichum lagenarium 166
Cytogenetics of aneuploidy in Collinsia heterophylla 125
Cytology, aneuploids in Collinsia heterophylla 125; of small plants of Bromus inermis 133; sex chromosomes in Populus tremuloides 60
Cytospora, used in tests of antifungal fraction of lilac phloem 171

D

2,4-D; *see* Chlorophenoxy compounds
Decapitation, effect, on branch form in apple 208, on xylem regeneration in Coleus stem following wounding 201
Dedolph, Richard R., The ripening response of bananas to some growth-regulator treatments 151
Defoliants, inducing leaf-fall in cotton 9
Defoliation, effect, on branch form in apple 208, on floral abscission and number of mature flowers in tobacco 244, on xylem regeneration in Coleus stem following wounding 201
Dhillon, T. S., The genus Collinsia. X. Aneuploidy in C. heterophylla 125
Dilks, Lois J., Extraction and biological properties of an antifungal fraction of woody plant tissues 171
2,4-Dinitrophenol; *see* Growth-regulators
Distribution of α-methoxyphenylacetic acid in bean plant following introduction into water stream 139
Downs, R. J., Effects of light, gibberellin, and a quaternary ammonium compound on the growth of dark-grown red kidney beans 233
Dutta, S. K., Observations on the physiological races of Colletotrichum lagenarium 163; Pathogenicity of biochemical mutants of Collectotrichum lagenarium 166
Dwarf shoot, morphology of normal, callused, and rooted slash pine 118
Dyer, Hubert J., Photoperiodic behavior of sunflower 50

E

Electron microscope, detection of leafroll virus of grapes 198
Elongation, axis, photocontrol, in Lactuca sativa, Lamium amplexicaule, and Nemophila insignis 1, in sunflower 50; of oats affected by shade 55; of pea stem sections affected by IAA and IAN 95; of tomato stem treated with gibberellic acid 114; of root tip cells in Trillium grandiflorum 215
Emasculation, effect of, in response of grape to gibberellins 155
Embryology of Brucea amarissima 175
Endothal (disodium-3,6-endoxyhexahydrophthalate), effect on leaf abscission zone in cotton 9
Endothecium in anthers of Enkianthus 185
Enkianthus, male gametophyte of E. cernuus, E. perulatus, and E. campanulatus 185
Epidermis, bicellular microhairs of grass leaf 80
Erosion, checked by companion crops with alfalfa and red clover 39
N-Ethyl maleimide; *see* Growth-regulators

F

Fasciation, anatomy of shoot apex and stem in jute 257
Fertility, of aneuploids in Collinsia heterophylla 125; of small plants of Bromus inermis 133
Fertilization in Brucea amarissima 175
Flax, as companion crop, light and soil moisture effects on establishment of alfalfa and red clover 39
Floral morphology, of Anthoxanthum odoratum 192; of Brucea amarissima 175; vascularization of carpel of Myristica fragrans 92
Flower induction, "forcing" in pineapple, by various compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, by substituted phenyl and phenoxyalkylcarboxylic acids 143; in sunflower affected by photoperiod 50
Flower inhibition, in pineapple, by various compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, by substituted phenyl and phenoxyalkylcarboxylic acids 143
Flowering, failure of photoreversible control in Pharbitis nil 237; in sunflower, affected by photoperiod 50
Fluoride, atmospheric, effect on respiration of bush beans 223
Fraxinus americana, not affected by Ailanthus extract toxic to forty-five other species 32
Fructose, and winter hardiness of pine leaves 46
Fruit, brown color in peanut shell 191; development of grapes in response to gibberellin treatments 155; pectic changes in peach during ripening 111; pericarp of Brucea amarissima 175; ripening of bananas as affected by 2,4-D 151.
Fungi, biochemical mutants, of Colletotrichum lagenarium 166, of Fusarium oxysporum f. pisi 69; Cytospora sp. used in tests of antifungal fraction from lilac phloem 171; parasexual cycle of Fusarium oxysporum f. pisi 74; physiological races of Collectotrichum lagenarium 163; simple, stationary microdissecting needle for isolation of spores 200
Fungicides, effect on ripening of bananas 151
Fusarium oxysporum f. pisi, parasexual cycle 74; virulence of biochemical mutants 69

G

Gametophyte, female, of Brucea amarissima 175; male, in Enkianthus 185
Garber, E. D., Genetics of phytopathogenic fungi. I. Virulence of biochemical mutants of Fusarium oxysporum f. pisi 69, II. The parasexual cycle in Fusarium oxysporum f. pisi 74; The genus Collinsia. X. Aneuploidy in C. heterophylla 125
Genetics, effect of gibberellic acid on genetic characters in two tomato lines 114; inheritance of resistance of susceptibility to physiological races of Colletotrichum lagenarium in watermelon 163, of small plants in Bromus inermis 133; parasexual cycle in Fusarium oxysporum f. pisi 74; virulence of biochemical mutants of Fusarium oxysporum f. pisi 69
Gibberellic acid, effect, on genetic characters in two tomato lines 114, on ripening response of bananas 151
Gibberellin, comparative effectiveness of $A_1$ and $A_3$ and of $A_3$ and it potassium salt on grape 155; effect on growth of dark-grown red kidney beans 233
Girdling, effect on grapes in conjunction with gibberellins 155
Glucose, and winter hardiness of pine leaves 46
Gossypium; *see* Cotton
Goto, Shosuke, The ripening response of bananas to some growth-regulator treatments 151
Gowing, Donald P., Studies on the relation of chemical structure to plant growth-regulator activity in the pineapple plant. I. Substituted phenyl and phenoxyalkylcarboxylic acids 143, II. Compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249
Grafting, toxic principle in Ailanthus grafted on slash pine 32
Grape, affected by gibberellin 155; diagnosis of leafroll virus 198
Grass, sweet-vernal; *see* Anthoxanthum odoratum
Grasses, developmental anatomy of stamen and carpel primor-

dia in Anthoxanthum odoratum 192; systematic significance of bicellular microhairs of leaf epidermis 80
Growth, elongation of pea stems affected by IAA and IAN 95; inhibition, in basswood accompanying mineral deficiency 22, 28, from toxic principle in Ailanthus 32, of radish seed germination by coumarin 17; of basswood seedlings as affected by root temperature 228; of dark-grown red kidney beans as affected by light, gibberellin, and a quaternary ammonium compound 233; of dwarf and normal tomato as affected by gibberellic acid 114; of mangrove seedlings affected by salinity 36; of oats affected by shade 55; photocontrol of seed germination and axis elongation 1; technique for uniform Avena coleoptiles 106; vegetative and floral, of sunflower affected by photoperiod 50
Growth factors, biotin and inositol, effect on biochemical mutants of Fusarium oxysporum f. pisi 69; inositol, relations to biochemical mutant of Colletotrichum lagenarium 166
Growth-regulators, effect on growth of dark-grown red kidney beans (AMO-1618) 233; effect on leaf-abscission zone in cotton (amino triazole) 9; effect on pineapple, of compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, of substituted phenyl and phenoxyalkylcarboxylic acids 143; effect on ripening response of bananas (naphthaleneacetic acid, 2,3,5-triiodobenzoic acid) 151; effect on xylem regeneration in Coleus stem following wounding (2,4-dinitrophenol, N-ethyl maleimide, iodoacetamide, 2,3,5-triiodobenzoic acid) 201; α-methoxyphenylacetic acid introduced into water stream of bean plant 139; synergism of IAA and IAN in slit pea test 95; *see also* Chlorophenoxy compounds, Gibberellin, *and* Indoleacetic acid
Grain yield, of oats, affected by shade 55

H

Hairs, micro, of grass leaf epidermis 80
Hall, C. V., Observations on the physiological races of Colletotrichum lagenarium 163; Pathogenicity of biochemical mutants of Colletotrichum lagenarium 166
Hall, Wayne C., Foliar abscission in cotton. III. Macroscopic and microscopic changes associated with natural and chemically induced leaf-fall 9
Hancock, C. R., The experimental modification of branch form in an apple rootstock 208
Hardiness, winter, in pine leaves, affected by free-sugar fluctuations 46
Hay, legume, yield affected by light and soil moisture relations with companion crops 39
Helianthus annuus; *see* Sunflower
Hendricks, S. B., Failure of photoreversible control of flowering in Pharbitis nil 237; Photocontrol of plant development by the simultaneous excitations of two interconvertible pigments. III. Control of seed germination and axis elongation 1
Herbicide, toxic principle in Ailanthus extract 32; *see also* Chlorophenoxy compounds *and* Growth-regulators
Heyne, E. G., Observations on the physiological races of Colletotrichum lagenarium 163; Pathogenicity of biochemical mutants of Colletotrichum lagenarium 166
Histology; *see* Anatomy
Hordeum; *see* Barley

I

Indoleacetic acid (IAA), effect, on floral abscission of tobacco 244, on ripening response of bananas 151; synergism with IAN in slit pea test 95; used in testing technique for growing uniform Avena coleoptiles 106
Indoleacetonitrile (IAN), synergism with IAA in slit pea test 95
Inflorescence, development in Anthoxanthum odoratum 192; growth in two tomato lines treated with gibberellic acid 114
Inoue, Sukemitsu, Notes on some grasses. IX. Systematic significance of bicellular microhairs of leaf epidermis 80
Iodoacetamide; *see* Growth-regulators
Iron, required for growth of basswood 22
Irradiation, effects of red and far-red on flowering of Pharbitis nil 237; photocontrol of seed germination and axis elongation 1
Isotopes, $C^{14}$, in ornithine cycle in pine roots and callus 63, used to check transport of α-methoxyphenylacetic acid in water stream of bean 139

J

Jute, anatomy of normal and fasciated stem 257

K

Kalb, A. J., Pectic changes in peach during ripening 111
Kawano, Shigeko, Notes on some grasses. IX. Systematic significance of bicellular microhairs of leaf epidermis 80
Klebesadel, L. J., Light and soil moisture beneath several companion crops as related to the establishment of alfalfa and red clover 39
Kundu, B. C., Anatomy of fasciated stems in jute 257

L

Lactuca sativa, photocontrol of seed germination and axis elongation 1
Lamium amplexicaule, photocontrol of seed germination and axis elongation 1
Leaf, area, of tobacco, as affected by various defoliation treatments and effect on floral abscission 244; area and number, of Tilia americana seedlings at different root temperatures 228; detached, recovery of turgidity following wilting 220; forming callus and roots in slash pine 118; moisture content, in relation to viability of loblolly pine seedlings after wilting 220; on fasciated shoots in jute 257; pine, free-sugar fluctuations and cold resistance 46; position, in tobacco, effect on floral abscission 244; shape, of two tomato lines treated with gibberellic acid 114, on induced lateral branches of apple 208; systematic significance of bicellular microhairs of epidermis 80; toxic principle of Ailanthus 32
Leeper, Robert W., Studies on the relation of chemical structure to plant growth-regulator activity in the pineapple plant. I. Substituted phenyl and phenoxyalkylcarboxylic acids 143, II. Compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249
Legumes, effect of light and soil moisture on companion crops for alfalfa and red clover 39
Leinweber, C. L., Foliar abscission in cotton. III. Macroscopic and microscopic changes associated with naturally and chemically induced leaf-fall 9
Lettuce; *see* Lactuca sativa
Light, control of downward movement of growth-regulator in bean 139; effect of companion crops with alfalfa and red clover 39; red and far-red, effects on growth of dark-grown red kidney beans 233, on flowering of Pharbitis nil 237; variable shade affecting oat growth 55; *see also* Irradiation *and* Photoperiod
Lilac; *see* Syringa vulgaris
Linder, P. J., Rapid transport of α-methoxyphenylacetic acid introduced directly into the water stream of bean plants 139
Linum; *see* Flax
Lutinski, Jane B., Extraction and biological properties of an antifungal fraction of woody plant tissues 171
Lycopersicum; *see* Tomato

M

McAlpine, Robert G., The morphology of normal, callused, and rooted dwarf shoots of slash pine 118
McCune, Stanley B., Further studies with gibberellin on Vitis vinifera grapes 155
Magnesium, deficiency limiting to basswood growth 22
Manganese, required for growth of basswood 22
Mangrove, red, effect of salinity on growth 36
Medicago; *see* Alfalfa
Megasporogenesis and megagametophyte of Brucea amarissima 175
Meiosis, irregularities in small plants of Bromus inermis 133
Mergen, François, A toxic principle in the leaves of Ailanthus 32
Meristem, root tip of Trillium grandiflorum 215; shoot, inflorescence, and floral apexes in Anthoxanthum odoratum 192; shoot apex of fasciated jute 257
Metabolism, carbohydrate, free-sugar fluctuations and cold resistance in pine leaves 46; ornithine-urea cycle in pine roots and callus tissues 63; *see also* Respiration
α-Methoxyphenylacetic acid, rapid transport when introduced directly into water stream of beans 139
4-Methyl-D-glucuronic acid (4-m-D-g), identified by colorimetric paper chromatography in detection of leafroll virus of grapes 198
Michel, Burlyn E., Indoleacetonitrile-indoleacetic acid synergism in the slit pea test 95
Microdissection, simple stationary microdissecting needle 200
Microgametophyte in Enkianthus 185
Microsporogenesis, irregularities in small plants of Bromus inermis 133; of Brucea amarissima 175
Mika, Edward S., Sulfur deficiency in Tilia americana 28
Mineral nutrition, of basswood 22, 28
Mitchell, J. W., Rapid transport of α-methoxyphenylacetic acid introduced directly into the water stream of bean plants 139
Mitosis, percentage of division figures in root tip of Trillium grandiflorum 215
Morphogenesis, experimental modification of branch form in apple 208; xylem regeneration following wounding 201
Morphogeny of root tip of Trillium grandiflorum 215
Morphology, of natural and chemically induced foliar abscission in cotton 9; of normal and fasciated stem of jute 257; of normal, callused, and rooted dwarf shoots of slash pine 118; of small plants of Bromus inermis 133; *see also* Anatomy *and* Embryology
Musa; *see* Banana
Muskmelon; *see* Cucumis melo
Mutants, biochemical, of Colletotrichum lagenarium 166, of Fusarium oxysporum f. pisi 69
Myristica fragrans, vascularization of carpel 92

N

Nair, N. C., Floral morphology and embryology of Brucea amarissima 175
Nakayama, S., Failure of photoreversible control of flowering in Pharbitis nil 237
Naphthaleneacetic acid; *see* Growth-regulators
Naylor, Aubrey W., Studies on the ornithine cycle in roots and callus tissues of Pinus serotina and Pinus clausa 63
Necrosis, mineral deficiency symptom in basswood 22, 28
Nemophila insignis, photocontrol of seed germination and axis elongation 1
Nicotiana; *see* Tobacco
Nielsen, Etlar L., Cytology and fertility of small plants of Bromus inermis 133
Nitrogen deficiency limiting to basswood growth 22
Node, vascular anatomy in Brucea amarissima 175
Nutrition, affecting virulence of biochemical mutants of Fusarium oxysporum f. pisi 69; mineral, basswood growth inhibited by deficiency 22, 28

O

Oats; *see* Avena
Ochs, Gertrud, Paper-chromatographic colorimetric method for expeditious diagnosis of leafroll virus of grapevines 198
Ornithine cycle, in roots and callus tissues of pine 63
Ovary removal, effect on pedicel abscission in tobacco 244
Oxygen uptake, of bush beans treated with atmospheric fluoride 223

P

Papazian, Haig, A simple, stationary, microdissecting needle 200
Parasexual cycle, in Fusarium oxysporum f. pisi 74
Parker, Johnson, Seasonal changes in white pine leaves: a comparison of cold resistance and free-sugar fluctuations 46
Pathogenicity of biochemical mutants of Colletotrichum lagenarium 166
Pea; *see* Pisum
Peach, Elberta, pectic changes during ripening of fruit 111
Peanut, inner brown color of shell 191
Pea test, slit (split), IAA-IAN synergism 95, used in study of relation of chemical structure to growth-regulator activity, of compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, of phenyl and phenoxyalkylcarboxylic acids 143
Pectic substances, changes in peach during ripening 111
Petiole, vascular anatomy in Brucea amarissima 175
Pharbitis nil, failure of photoreversible control of flowering 237
Phaseolus; *see* Bean
Phenotype, lack of differences among aneuploids of Collinsia heterophylla 125
Phenoxyalkylcarboxylic acids and related compounds, activity on pineapple plant 143, 249
Phenylalkylcarboxylic acids, activity on pineapple plant 143
Phloem, collapse in fasciated stems of jute 257; lilac and other woody plants, presence of antifungal substance in extracts 171
Phosphorus, deficiency limiting to basswood growth 22; uptake by Tilia americana seedlings at different root temperatures 228
Photocontrol of plant development by simultaneous excitation of two interconvertible pigments 1
Photomorphogenesis in Nemophila insignis, Lactuca sativa, and Sinapis alba 1
Photoperiod, effect on vegetative and flowering responses of sunflower 50; normal control of flowering in Pharbitis nil as affected by red and far-red radiation 237
Photoreversible control of flowering, failure in Pharbitis nil 237
Phthalamic acids, activity on pineapple plant 249
Physiological races of Colletotrichum lagenarium 163
Pigments, photocontrol, effect on seed germination and axis elongation 1, in control of flowering of Pharbitis nil 237
Pineapple, used in studies of relation of chemical structure to growth-regulator activity, of compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, of substituted phenyl and phenoxyalkylcarboxylic acids 143
Pinus, P. elliottii (slash), morphology of normal, callused, and rooted dwarf shoots 118; P. serotina and P. clausa, ornithine cycle in roots and callus tissues 63; species affected by toxic Ailanthus extract 32; P. strobus (white), cold resistance and free-sugar fluctuations related to seasonal changes in leaves 46; P. taeda (loblolly), determination of viability of seedlings after wilting 220

Pisum sativum, five varieties used in test of virulence of biochemical mutants of Fusarium oxysporum f. pisi 69; used in slit (split) pea test 95, 143, 249
Pith, elongation of cells in fasciated stem of jute 257
Pollen, in Enkianthus 185; germinability, of grape as affected by gibberellins 155; sterility, of small plants of Bromus inermis 133
Pollen tube, growth in anther of Enkianthus perulatus 185
Populus, sex chromosomes 60
Potassium, deficiency limiting to basswood growth 22; uptake by Tilia americana seedlings at different root temperatures 228
Propagation, of slash pine by rooting dwarf shoots 118
Pumpkin; *see* Cucurbita maxima
Purines, effect on biochemical mutants of Fusarium oxysporum f. pisi 69
Pyrmidine, relation to biochemical mutants of Colletotrichum lagenarium 166

Q

Quaternary ammonium compound, AMO-1618, effect on growth of dark-grown red kidney beans 233

R

Radioactive carbon, in study of ornithine cycle in pine roots 63; used to check transport of α-methoxyphenylacetic acid in water stream of bean 139
Radish, inhibition of seed germination by coumarin 17
Raphanus; *see* Radish
Raffinose and winter hardiness of pine leaves 46
Rao, N. S., Anatomy of fasciated stems in jute 257
Regeneration of xylem in Coleus in response to stem wounds 201
Reines, M., The morphology of normal, callused, and rooted dwarf shoots of slash pine 118
Respiration, of bush beans as affected by atmospheric fluoride 223; rate in pea stem sections as affected by IAA and IAN 95
Rhizophora mangle; *see* Mangrove
Roberts, Lorin W., Experiments on xylem regeneration in stem wound responses in Coleus 201
Root, excision, effect on viability of loblolly pine seedlings after wilting 220; origin from callus of dwarf shoots of slash pine 118; ornithine cycle in pine 63; temperature, effect on seedling growth and water uptake in Tilia americana 228; tip, cellular development and morphogeny in Trillium grandiflorum 215
Rye, as companion crop, light and soil moisture effects on establishment of alfalfa and red clover 39

S

Safijowska, Lubow D., Male gametophyte in Enkianthus 185
Salinity, effect on red mangrove growth 36
Sastri, R. L. N., Vascularization of the carpel of Myristica fragrans 92
Schenk, Roy U., Source of the inner brown color of the peanut shell 191
Schrank, A. R., Regimen for growing uniform Avena coleoptiles 106
Scully, Norbert J., Photoperiodic behavior of sunflower 50
Secale; *see* Rye
Seed, germination, of radish inhibited by coumarin 17, photocontrol by interconvertible pigments 1; of Brucea amarissima 175
Seedling, Tilia americana, growth and water uptake as affected by root temperature 228; loblolly pine, viability after wilting 220
Seed-set, in aneuploids of Collinsia heterophylla 125; in grapes treated with gibberellin 155; of small plants of Bromus inermis 133
Sharman, B. C., Developmental anatomy of the stamen and carpel primordia in Anthoxanthum odoratum 192
Shed-A-Leaf (sodium chlorate-metaborate), effect on leaf abscission zone in cotton 9
Shoot apex, in Anthoxanthum odoratum 192; of normal and fasciated jute 257
Skok, John, Photoperiodic behavior of sunflower 50
Smith, Dale, Light and soil moisture beneath several companion crops as related to the establishment of alfalfa and red clover 39
Soil moisture, effect with light on companion crops and on establishment of alfalfa and red clover 39
Soil temperature, of basswood habitats as related to responses to experimental root temperatures 228
Soost, Robert K., Effects of gibberellic acid on genetic characters in two tomato lines 114
Squash, butternut; *see* Cucurbita moschata
Stamen, development of primordia in Anthoxanthum odoratum 192
Stem, elongation, of dark-grown red kidney beans in response to red irradiation, gibberellin, and a quaternary ammonium compound 233, of Tilia americana seedlings grown at different root temperatures 228; jute, anatomy of normal and fasciated 257; regeneration of xylem following wounding in Coleus 201
Sterling, Clarence, Pectic changes in peach during ripening 111
Stern, William L., Effect of salt concentration on growth of red mangrove in culture 36
Sucrose and winter hardiness of pine leaves 46
Sugar, relation to cold resistance in pine leaves 46
Sukumaran, N. P., Floral morphology and embryology of Brucea amarissima 175
Sulfhydryl inhibitors, effect on xylem regeneration in Coleus stem following wounding 201
Sulfur, deficiency limiting to basswood growth 28
Sunflower, effect of photoperiod on vegetative and flowering responses 50
Sussex, I. M., Extraction and biological properties of an antifungal fraction of woody plant tissues 171
Synergism, IAA-IAN in slit pea test 95
Syringa vulgaris, antifungal fraction in phloem 171

T

Tateoka, Fuguo, Notes on some grasses. IX. Systematic significance of bicellular microhairs of leaf epidermis 80
Tannins, present in peanut shells 191
Tapetum in Enkianthus 185
Taxonomy, systematic significance of bicellular microhairs of leaf epidermis of grasses 80
Technique, for diagnosis of leafroll virus of grapes 198; puncture, for introduction of growth-regulator into water stream 139; simple, stationary, microdissecting needle 200
Temperature, root, effect on seedling growth and water uptake in Tilia americana 228
Thompson, Sue Howle, Cellular development and morphogeny of the root tip of Trillium grandiflorum 215
Tilia americana, growth limited by mineral deficiencies 22, by sulfur deficiency 28; seedling growth and water uptake as affected by root temperature 228
Tissue culture, phloem explants affecting growth of fungus contaminant 171; pine root and callus, used in study of ornithine cycle 63
Tissue extracts, epidermal and whole-tissue, used for growth of biochemical mutants of Colletotrichum lagenarium 166
Tobacco, effect of leaves and indoleacetic acid on floral abscission in Nicotiana tabacum 244
Tomato, effects of gibberellic acid on genetic characters in two lines 114

Toole, E. H., Photocontrol of plant development by the simultaneous excitations of two interconvertible pigments. III. Control of seed germination and axis elongation 1
Toole, V. K., Photocontrol of plant development by the simultaneous excitations of two interconvertible pigments. III. Control of seed germination and axis elongation 1
Toxicity, of Ailanthus extract tested on forty-six woody species 32; to pineapple plant, of compounds related to phenoxyalkylcarboxylic acids, phthalamic acids, and benzoic acids 249, of substituted phenyl and phenoxyalkylcarboxylic acids 143
Translocation, of α-methoxyphenylacetic acid introduced directly into the water stream of bean 139
Trifolium; *see* Clover
2,3,5-Triiodobenzoic acid; *see* Growth-regulators
Trillium grandiflorum, cellular development and morphogeny of root tip 215
Triticum; *see* Wheat
Tuveson, R. W., Genetics of phytopathogenic fungi. I. Virulence of biochemical mutants of Fusarium oxysporum f. pisi 69, II. The parasexual cycle in Fusarium oxysporum f. pisi 74

V

Van Buijtenen, J. P., Note on the presence of sex chromosomes in Populus tremuloides 60
Viability, of loblolly pine seedlings after wilting 220
Virulence of biochemical mutants of Fusarium oxysporum f. pisi 69
Virus, diagnosis in leafroll disease of grapes 198
Vitamins, effect on biochemical mutants of Fusarium oxysporum f. pisi 69; pyroxidine, required by biochemical mutants of Colletotrichum lagenarium 166
Vitis; *see* Grape
Voigt, Garth K., Effect of salt concentration on growth of red mangrove in culture 36

W

Water balance, in relation to viability of loblolly pine seedlings after wilting 220
Water content, no significant seasonal change in pine leaves 46
Water relations, soil moisture effect on companion crops with alfalfa and red clover 39
Water uptake, of Tilia americana seedlings as affected by root temperature 228
Watermelon, disease reactions and inheritance of resistance and susceptibility to races of Colletotrichum lagenarium 163; host in determining pathogenicity of biochemical mutants of Colletotrichum lagenarium 166
Weaver, Robert J., Further studies with gibberellin on Vitis vinifera grapes 155
Wheat, as companion crop, light and soil moisture effects on establishment of alfalfa and red clover 39
Wiegand, Oscar F., Regimen for growing uniform Avena coleoptiles 106
Wiggans, Samuel C., Responses of oat plants to various percentages of continuous shade 55
Wilting, effect on viability of loblolly pine seedlings 220
Wounding, leading to xylem regeneration in Coleus stem 201

X

X-rays, induction of fasciated stems in jute 257
Xylem, regeneration in Coleus stem following wounding 201

Y

Yager, Robert E., Some effects of leaves and indoleacetic acid upon floral abscission in Nicotiana tabacum 244

Z

Zinc, required for growth of basswood 22